



RPS19 gene

ribosomal protein S19

Normal Function

The *RPS19* gene provides instructions for making one of approximately 80 different ribosomal proteins, which are components of cellular structures called ribosomes. Ribosomes process the cell's genetic instructions to create proteins.

Each ribosome is made up of two parts (subunits) called the large and small subunits. The protein produced from the *RPS19* gene is among those found in the small subunit.

The specific functions of the *RPS19* protein and the other ribosomal proteins within these subunits are unclear. Some ribosomal proteins are involved in the assembly or stability of ribosomes. Others help carry out the ribosome's main function of building new proteins. Studies suggest that some ribosomal proteins may have other functions, such as participating in chemical signaling pathways within the cell, regulating cell division, and controlling the self-destruction of cells (apoptosis).

Health Conditions Related to Genetic Changes


Diamond-Blackfan anemia

More than 120 *RPS19* gene mutations have been identified in individuals with Diamond-Blackfan anemia. These mutations are believed to affect the stability or function of the *RPS19* protein. Studies indicate that a shortage of functioning ribosomal proteins may increase the self-destruction of blood-forming cells in the bone marrow, resulting in a low number of red blood cells (anemia). Abnormal regulation of cell division or inappropriate triggering of apoptosis may contribute to the other health problems and unusual physical features that affect some people with Diamond-Blackfan anemia.

Chromosomal Location

Cytogenetic Location: 19q13.2, which is the long (q) arm of chromosome 19 at position 13.2

Molecular Location: base pairs 41,859,918 to 41,871,416 on chromosome 19 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

Other Names for This Gene

- 40S ribosomal protein S19
- DBA
- RS19_HUMAN
- S19

Additional Information & Resources

Educational Resources

- Molecular Biology of the Cell (fourth edition, 2002): The RNA message is decoded on ribosomes
<https://www.ncbi.nlm.nih.gov/books/NBK26829/#A1071>

GeneReviews

- Diamond-Blackfan Anemia
<https://www.ncbi.nlm.nih.gov/books/NBK7047>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28RPS19%5BTIAB%5D%29+OR+%28ribosomal+protein+S19%5BTIAB%5D%29%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D>

OMIM

- RIBOSOMAL PROTEIN S19
<http://omim.org/entry/603474>

Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology
http://atlasgeneticsoncology.org/Genes/GC_RPS19.html
- ClinVar
<https://www.ncbi.nlm.nih.gov/clinvar?term=RPS19%5Bgene%5D>
- Diamond-Blackfan Anemia Mutation Database
http://www.dbgenes.unito.it/home.php?select_db=RPS19
- HGNC Gene Family: S ribosomal proteins
<http://www.genenames.org/cgi-bin/genefamilies/set/728>
- HGNC Gene Symbol Report
http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/hgnc_data.php&hgnc_id=10402
- NCBI Gene
<https://www.ncbi.nlm.nih.gov/gene/6223>
- UniProt
<http://www.uniprot.org/uniprot/P39019>

Sources for This Summary

- Angelini M, Cannata S, Mercaldo V, Gibello L, Santoro C, Dianzani I, Loreni F. Missense mutations associated with Diamond-Blackfan anemia affect the assembly of ribosomal protein S19 into the ribosome. *Hum Mol Genet.* 2007 Jul 15;16(14):1720-7. Epub 2007 May 20.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17517689>
- Badhai J, Fröjmark AS, J Davey E, Schuster J, Dahl N. Ribosomal protein S19 and S24 insufficiency cause distinct cell cycle defects in Diamond-Blackfan anemia. *Biochim Biophys Acta.* 2009 Oct;1792(10):1036-42. doi: 10.1016/j.bbadi.2009.08.002. Epub 2009 Aug 16.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19689926>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2759502/>
- Boria I, Garelli E, Gazda HT, Aspesi A, Quarello P, Pavesi E, Ferrante D, Meerpohl JJ, Kartal M, Da Costa L, Proust A, Leblanc T, Simansour M, Dahl N, Fröjmark AS, Pospisilova D, Cmejla R, Beggs AH, Sheen MR, Landowski M, Buros CM, Clinton CM, Dobson LJ, Vlachos A, Atsidaftos E, Lipton JM, Ellis SR, Ramenghi U, Dianzani I. The ribosomal basis of Diamond-Blackfan Anemia: mutation and database update. *Hum Mutat.* 2010 Dec;31(12):1269-79. doi: 10.1002/humu.21383.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20960466>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4485435/>
- Campagnoli MF, Ramenghi U, Armiraglio M, Quarello P, Garelli E, Carando A, Avondo F, Pavesi E, Fribourg S, Gleizes PE, Loreni F, Dianzani I. RPS19 mutations in patients with Diamond-Blackfan anemia. *Hum Mutat.* 2008 Jul;29(7):911-20. doi: 10.1002/humu.20752. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18412286>

- Ellis SR, Gleizes PE. Diamond Blackfan anemia: ribosomal proteins going rogue. *Semin Hematol.* 2011 Apr;48(2):89-96. doi: 10.1053/j.seminhematol.2011.02.005. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21435505>
- Farrar JE, Dahl N. Untangling the phenotypic heterogeneity of Diamond Blackfan anemia. *Semin Hematol.* 2011 Apr;48(2):124-35. doi: 10.1053/j.seminhematol.2011.02.003. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21435509>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3078697/>
- Gregory LA, Aguissa-Touré AH, Pinaud N, Legrand P, Gleizes PE, Fribourg S. Molecular basis of Diamond-Blackfan anemia: structure and function analysis of RPS19. *Nucleic Acids Res.* 2007; 35(17):5913-21. Epub 2007 Aug 28.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17726054>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2034476/>
- Ito E, Konno Y, Toki T, Terui K. Molecular pathogenesis in Diamond-Blackfan anemia. *Int J Hematol.* 2010 Oct;92(3):413-8. doi: 10.1007/s12185-010-0693-7. Epub 2010 Sep 30. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20882441>
- Kuramitsu M, Hamaguchi I, Takuo M, Masumi A, Momose H, Takizawa K, Mochizuki M, Naito S, Yamaguchi K. Deficient RPS19 protein production induces cell cycle arrest in erythroid progenitor cells. *Br J Haematol.* 2008 Feb;140(3):348-59. doi: 10.1111/j.1365-2141.2007.06930.x.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18217898>
- Morimoto K, Lin S, Sakamoto K. The functions of RPS19 and their relationship to Diamond-Blackfan anemia: a review. *Mol Genet Metab.* 2007 Apr;90(4):358-62. Epub 2006 Dec 18. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17178250>
- OMIM: RIBOSOMAL PROTEIN S19
<http://omim.org/entry/603474>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/gene/RPS19>

Reviewed: February 2012

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications

U.S. National Library of Medicine

National Institutes of Health

Department of Health & Human Services